


Medical Lamps



üzümcü



Operating Lamp, Camera System

MODEL OL-7KT



System enables to monitor the operation on the screen.
Lamp components are standart lamp head, camera lamp head and monitor.

Lamp Specifications:

- Diameter of Headgear : Ø695 mm
- Illumination : 155.000 Lux
- Color Temperature : 4300 K
- Depth of Illumination : 720 mm
- Focus Diameter : 120-300 mm
- Bulb : 24V / 150W Halogen
- Inlet Voltage : 220-240 V/50-60 Hz

Camera Specifications:

- Image Sensor : 1/4" SONY HAD CCD
- Signal system : PAL
- Zoom : 10 X optic / 12 X digital
- Effective resolution : 440.000 pixel

Monitor Specifications:

- LCD Panels : Active Matrix with IPC
- Viewing area : 19"
- Resolution : 1280 x 1024
- Viewing angle : 178°
- Response : 10 - 16 ms

DUO Halogen Series Operating Lamps



MODEL DUO HALOGEN X3



MODEL DUO HALOGEN X2



MODEL DUO HALOGEN X1

Specifications:

- Diameter of Headgear : Ø695 mm
- Illumination : 160.000 Lux
- Color Temperature : 4400 K
- Depth of Illumination : 720 mm
- Focus Diameter : 180-270 mm
- Bulb : 24V / 150W Halogen
- Inlet Voltage : 220-240 V/50-60 Hz

Alternative Lamp Configurations:

- Single Lamp Head : DUO Halogen x1
- Double Lamp Head : DUO Halogen x2
- Triple Lamp Head : DUO Halogen x3



OL Halogen Series Operating Lamps



MODEL OL-37T



MODEL OL-77T



MODEL OL-70T

Specifications:

- Diameter of Headgear : Ø695 mm
- Illumination : 155.000 Lux
- Color Temperature : 4300 K
- Depth of Illumination : 720 mm
- Focus Diameter : 120-300 mm
- Bulb : 24V / 150W Halogen
- Inlet Voltage : 220-240 V/50-60 Hz

Alternative Lamp Configurations:

- Single Lamp Head : OL-70T
- Double Lamp Head : OL-77T
- Triple Lamp Head : OL-37T

Operating Lamp, Mobile&Battery

MODEL OL-5M / OL-5MB




Specifications:

- Diameter of Headgear : Ø500 mm
- Illumination : 60.000 Lux
- Color Temperature : 4300 K
- Depth of Illumination : 700 mm
- Focus Diameter : 120 mm
- Bulb : 24V / 110W Halogen
- Inlet Voltage : 220-240 V/50-60 Hz

OL-5MB

- Battery system provides continuous energy for 2,5 hours
- Battery runs automatically in case of electricity failure

Minor Surgery Lamps



MODEL CL-4D



MODEL CL-4T



MODEL CL-4M / CL-4MB

Specifications:

- Diameter of Headgear : Ø380 mm
- Illumination : 60.000 Lux
- Color Temperature : 4300 K
- Depth of Illumination : 700 mm
- Bulb : 22V / 80W, Halogen
- Inlet Voltage : 220-240 V/50-60 Hz

Alternative Lamp Types:

- Wall Type : CL-4D
- Ceiling Type : CL-4T
- Mobile Type : CL-4M
- Mobile & Battery Type : CL-4MB

CL-4MB

- Battery system provides continuous energy for 2 hours
- Battery runs automatically in case of electricity failure



Examination Lamp, Mobile

MODEL ML-40

Specifications:

- Illumination : 32.000 Lux / 0.5 m
- Lamp Head Dia. : 100 mm
- Bulb : 12V / 35W Halogen
- Inlet voltage : 220-240V AC / 50-60Hz



Examination Lamp, Mobile

MODEL ML-60

Specifications:

- Illumination : 22.000 Lux / 0.5 m
- Lamp Head Dia. : 100 mm
- Bulb : 12V / 50W Halogen
- Inlet voltage : 220-240V AC / 50-60Hz



Examination Lamp, Rail Type with Flexible Arm

MODEL ML-70

Specifications:

- Illumination : 22.000 Lux / 0.5 m
- Lamp Head Dia. : 100 mm
- Bulb : 12V / 50W Halogen
- Inlet voltage : 220-240V AC / 50-60Hz